

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
UMAMI	NEWOWNER	2024-02-08	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				4-501.11	Equipment in disrepair.	N
				4-302.14	No chemical test kit available.	N
				5-202.13	Air gap required.	C
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.11	The physical facilities are in disrepair.	N