

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CAMP AGAWAM	REGULAR	2019-08-07	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-501.12	The physical facilities are not clean.	N
CAMP AGAWAM	REGULAR	2019-08-07	No		No Violations	
CAMP AGAWAM	REGULAR	2023-08-10	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
CAMP AGAWAM	REGULAR	2023-08-10	No	8.A.4.b	C: Insecticides, disinfectants, and other hazardous chemicals are not marked and stored properly.	C
				3.B.5	C: Two accessible exits including screen windows for each floor are not provided and marked.	C
				3.C.1	N: Cots and bunks are not 28 inches apart. Triple deck bunks are allowed. Upper bunks not protected.	N