

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CAPE PORPOISE KITCHEN	REGULAR	2019-01-23	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
CAPE PORPOISE KITCHEN	REGULAR	2023-05-05	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				7-202.12.(A). (B)	Poisonous or toxic materials are being improperly used / applied.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-306.11	Food on display not protected by packaging, service line, food guards, or display cases.	C
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N