

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
HILTON GARDEN INN	REGULAR	2018-12-11	No	4-501.114.(C).(1)	Quaternary ammonium compound solution temperature less than 75 F.	C
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
HILTON GARDEN INN	REGULAR	2018-12-11	No	5-A.(3)	Ice crushers are not maintained in a sanitary condition.	N
HILTON GARDEN INN	REGULAR	2019-12-23	No		No Violations	
HILTON GARDEN INN	REGULAR	2019-12-23	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
HILTON GARDEN INN	REGULAR	2021-12-02	No	4-501.11	Equipment in disrepair.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
HILTON GARDEN INN	REGULAR	2021-12-02	No	5-A.(3)	Ice crushers are not maintained in a sanitary condition.	N
HILTON GARDEN INN	REGULAR	2023-01-17	No		No Violations	
HILTON GARDEN INN	REGULAR	2023-01-17	No	2-102.11.(A).(B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				3-603.11.(B)	Consumer advisory does not contain proper warning of raw or undercooked animal foods.	C
HILTON GARDEN INN	REGULAR	2023-07-26	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.13	Improper thawing.	N
				4-501.11	Equipment in disrepair.	N
				6-501.12	The physical facilities are not clean.	N