

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|------------------|---|----------|
| RUBY TUESDAY #7281 | REGULAR | 2018-06-18 | No | 3-302.15.(A) | Fruits/vegetables not washed. | N |
| | | | | 3-304.12 | Improper between-use storage of in-use utensils. | N |
| | | | | 4-501.11 | Equipment in disrepair. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 5-501.115 | Refuse areas and enclosures not maintained free of unnecessary items or not kept clean. | N |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |
| RUBY TUESDAY #7281 | REGULAR | 2021-07-14 | No | 4-703.11 | Manual and/or mechanical methods of sanitizing incomplete. | C |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 2-402.11 | Food Employees not wearing effective hair restraints. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| | | | | 6-202.11 | Lights not shielded. | N |
| RUBY TUESDAY #7281 | REGULAR | 2022-10-14 | No | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 3-304.12 | Improper between-use storage of in-use utensils. | N |
| | | | | 6-201.11 | Floors, walls, and ceilings are not smooth and easily cleanable. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |