

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
KNIGHTS OF COLUMBUS #2524	REGULAR	2020-02-03	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				4-702.11	Food contact surfaces not sanitized before use after cleaning.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-307.11	Food not protected from other sources of contamination.	N
				4-903.11.(A)	Equipment, Utensils, Linens are improperly stored.	N
				4-501.16.(B)	Ware washing sink not cleaned/sanitized between uses.	N
				4-302.14	No chemical test kit available.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-202.13	Air gap required.	C
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
KNIGHTS OF COLUMBUS #2524	REGULAR	2022-04-01	No	2-102.12	No Certified Food Protection Manager.	N
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N