

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
PAPAS ICE CREAM	REGULAR	2019-09-03	No	4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-204.112.(A)	Temperature measuring device not properly located.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-501.11	Equipment in disrepair.	N
				4-302.14	No chemical test kit available.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-202.11	Lights not shielded.	N
PAPAS ICE CREAM	REGULAR	2023-08-22	No	5-205.11.(A)	Hand wash facility not accessible.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-903.11.(A). (C)	Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C