

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CLAMBAKE	REGULAR	2020-08-26	Yes	4-702.11	Food contact surfaces not sanitized before use after cleaning.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.13	Improper thawing.	N
				4-204.112.(B).(C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-204.16	Beverage tubing and/or cold plate improperly installed in contact with stored ice.	N
				4-204.17	Liquid waste drain lines pass through an ice machine or ice storage bin.	N
				4-501.11	Equipment in disrepair.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-402.11	There is a direct connection between the sewage system and a drain originating from Equipment in which Food, portable equipment or Utensils are placed	C
				5-402.14	Sewage / liquid waste not properly removed.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.15	Food preparation sink, hand washing sink or ware washing equipment contaminated by unacceptable use.	C
CLAMBAKE	REGULAR	2020-09-10	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
CLAMBAKE	REGULAR	2023-07-24	No	6-501.11	The physical facilities are in disrepair.	N