

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ACRES OF WILDLIFE	REGULAR	2019-08-21	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				6-501.111.(B)	Not routinely inspecting premises for evidence of pests.	C
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
				4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
				6-501.11	The physical facilities are in disrepair.	N
ACRES OF WILDLIFE	REGULAR	2019-08-21	No	3.F.5	The floors, walls and ceiling of the sanitary building are not clean and in good repair and/or the toilets, lavatories and showers are not cleaned and disinfected daily and/or maintained in good repair.	
ACRES OF WILDLIFE	REGULAR	2023-09-13	No		No Violations	
ACRES OF WILDLIFE	REGULAR	2023-09-13	No	3.C	Materials used for sewer connections are not semi-rigid, corrosion-resistant, non-absorbent, durable and water tight and/or sewer connections for seasonal campers not made with rigid pipe.	