| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|--------------------------|---|----------|
| CHUTES COFFEE SHOP | REGULAR | 2022-05-09 | No | 3-301.11.(A). (B).(D) | Food employees are handling ready to eat foods with bare hands. | С |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | С |
| | | | | 4-703.11 | Manual and/or mechanical methods of sanitizing incomplete. | С |
| | | | | 4-204.112.(B). (C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device. | N |
| | | | | 6-202.15 | Outer openings are not protected from the entry of insects or rodents. | N |
| | | | | 2-501.11 | Eating Establishment does not have cleanup procedures of vomiting and diarrheal events or employees are not following procedures. | N |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 4-904.11.(A). (C) | Single service/use items are improperly handled/stored/displayed/dispensed. | N |
| | | | | 4-501.116 | Chemical sanitizer concentration was not accurately determined by using a test kit or other device. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 6-202.14 | Toilet room not enclosed, with a self closing, tight fitting door. | N |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| CHUTES COFFEE SHOP | REGULAR | 2024-03-11 | No | 6-301.14 | Hand wash signage not provided for employee hand sink or lavatory. | N |
| | | | | 3-603.11.(C) | Consumer advisory does not contain the required wording. | С |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |