

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
GEORGE STEVENS ACADEMY	REGULAR	2018-01-29	No	4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
				6-501.14.(A)	Ventilation not clean.	N
GEORGE STEVENS ACADEMY	REGULAR	2018-12-06	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
GEORGE STEVENS ACADEMY	REGULAR	2020-03-11	No	2-402.11	Food Employees not wearing effective hair restraints.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
GEORGE STEVENS ACADEMY	REGULAR	2023-05-24	No	4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-302.14	No chemical test kit available.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
GEORGE STEVENS ACADEMY	REGULAR	2024-03-13	No	4-501.11	Equipment in disrepair.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.11	The physical facilities are in disrepair.	N