

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MARGS MEX ELLSWORTH	NEWOWNER	2020-08-21	No		No Violations	
MARGS MEX ELLSWORTH	REGULAR	2021-06-02	No	5-203.11	Inadequate number of hand wash facilities.	C
				4-501.11	Equipment in disrepair.	N
				5-203.13	Inadequate number of service sinks.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-201.17	Walls and ceiling attachments are not easily cleanable.	N
				6-202.111	Food establishment operations are being conducted in an unapproved location.	C
MARGS MEX ELLSWORTH	REGULAR	2024-02-27	Yes	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.18.(A)	PHF, Ready-to-Eat food not discarded when food exceeds temperature and time combination as specified in 3-501.17.(A).	C
				3-305.11	Food not protected from contamination during storage.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-501.11	Equipment in disrepair.	N
				6-201.16	Wall and ceiling coverings are not easily cleanable.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.11	Lights not shielded.	N
MARGS MEX ELLSWORTH	FOLLOW_UP_FULL	2024-03-26	No	4-302.14	No chemical test kit available.	N
				6-201.16	Wall and ceiling coverings are not easily cleanable.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.11	Lights not shielded.	N