

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SUBWAY	REGULAR	2018-10-05	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				6-501.12	The physical facilities are not clean.	N
SUBWAY	REGULAR	2020-01-17	No	2-102.12	No Certified Food Protection Manager.	N
				4-201.11	Equipment and/or utensils are not sufficiently durable.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
SUBWAY	REGULAR	2022-03-03	No	2-103.11.(N)	Person in Charge did not ensure employees were informed of their responsibility to report to the Person in Charge about their health.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				2-501.11	Eating Establishment does not have cleanup procedures of vomiting and diarrheal events or employees are not following procedures.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N