

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BEST WESTERN INN	REGULAR	2020-07-29	No	9-A.(8)	Lights are not shielded in the laundry areas and the linen storage facilities.	N
BEST WESTERN FREEPORT INN	NEWOWNER	2023-11-20	No	2-A.(11)	Evidence of roaches, flies, vermin or other pests is present.	N
				11-A.(4)	There are openings to the outside that are not effectively protected against the entrance of rodents.	C
				9-A.(7)	Toxic materials are not properly labeled and stored.	C
				2-A.(8)	Torn and/or soiled bedding, mattresses, sheets or pillowcases are being used.	N
				2-B.(1)	The floors, walls, ceilings, windows and ventilation in common areas associated with sleeping rooms are not clean and/or not properly maintained.	N
				2-A.(14)	Appliances are not properly cleaned and/or not properly maintained.	N
				2-B.(2)	The furniture, fixtures, draperies, and other accessories in common areas associated with sleeping rooms are not clean and/or not properly maintained.	N
				2-E.(2)	In the guest toilet/bath facilities the fixtures are not cleaned and/or not disinfected after each check-out.	N
BEST WESTERN FREEPORT INN	NEWOWNER	2024-01-31	No	2-B.(1)	The floors, walls, ceilings, windows and ventilation in common areas associated with sleeping rooms are not clean and/or not properly maintained.	N
				2-A.(8)	Torn and/or soiled bedding, mattresses, sheets or pillowcases are being used.	N
				2-C.(7)	Toilet facilities, including the toilet room and fixtures, are not properly maintained, clean, adequately vented, and/or free of objectionable odors.	N