

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ABELS LOBSTER POUND RESTAURANT	NEWOWNER	2018-06-05	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
ABELS LOBSTER POUND	REGULAR	2020-05-28	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
ABELS LOBSTER POUND	REGULAR	2020-09-09	No		No Violations	
ABELS LOBSTER POUND	REGULAR	2023-07-18	Yes	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				3-101.11	Food is adulterated, not safe or honestly presented.	C
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-402.14	Sewage / liquid waste not properly removed.	N
				5-403.11	Unapproved sewage disposal system.	C
				6-202.111	Food establishment operations are being conducted in an unapproved location.	C
ABELS LOBSTER POUND	FOLLOW_UP_FULL	2023-09-14	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-202.111	Food establishment operations are being conducted in an unapproved location.	C