

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DUNKIN DONUTS	REGULAR	2018-05-15	No	4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
DUNKIN DONUTS	REGULAR	2019-05-24	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				7-201.11	Improper storage of poisonous or toxic materials.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
DUNKIN DONUTS	REGULAR	2021-07-28	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-501.11	Equipment in disrepair.	N
DUNKIN DONUTS	REGULAR	2022-10-06	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-204.112.(A)	Temperature measuring device not properly located.	N
DUNKIN DONUTS	REGULAR	2023-11-28	No	6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N