

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|----------------------|---|----------|
| CHAVAL | REGULAR | 2018-09-17 | No | 2-102.11.(A). (B) | C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate. | C |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| CHAVAL | REGULAR | 2019-05-16 | No | | No Violations | |
| CHAVAL | REGULAR | 2019-11-26 | No | 6-501.12 | The physical facilities are not clean. | N |
| | | | | 6-202.11 | Lights not shielded. | N |
| CHAVAL | REGULAR | 2022-03-23 | No | 3-305.12 | Food being stored in prohibited area(s). | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| | | | | 6-501.14.(A) | Ventilation not clean. | N |
| CHAVAL | REGULAR | 2023-07-12 | No | 7-102.11 | Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material. | C |
| | | | | 4-204.112.(A) | Temperature measuring device not properly located. | N |