

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BEAR DEN FAMILY RESTAURANT & PUB	NEWOWNER	2021-10-13	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				4-302.14	No chemical test kit available.	N
				5-104.11	Unapproved water delivery system.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
BEAR DEN FAMILY RESTAURANT & PUB	FOLLOW_UP_FULL	2023-08-23	Yes	2-102.12	No Certified Food Protection Manager.	N
				2-201.11.(A)	The person in charge failed to require food employees to submit required information.	C
				2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				5-205.11.(A)	Hand wash facility not accessible.	N
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				3-201.11.(B)	Food prepared in a private home is being used or offered for human consumption.	C
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				3-302.11.(A).(4)	Food subject to cross-contamination from dirty and unsanitized equipment or utensils.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				6-202.16	Exterior walls and roof do not provide required protection.	N
				6-501.111.(B)	Not routinely inspecting premises for evidence of pests.	C
				3-307.11	Food not protected from other sources of contamination.	N
				4-502.13.(A)	Single service/use articles are being reused.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-302.14	No chemical test kit available.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N