

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DUNKIN DONUTS	REGULAR	2018-09-12	No	2-102.12	No Certified Food Protection Manager.	N
				5-205.11.(A)	Hand wash facility not accessible.	N
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-302.14	No chemical test kit available.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.12	Ventilation may cause food contamination.	N
DUNKIN DONUTS	REGULAR	2020-06-24	No	6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-501.11	Equipment in disrepair.	N
				4-302.14	No chemical test kit available.	N
				6-501.11	The physical facilities are in disrepair.	N
DUNKIN DONUTS	REGULAR	2023-03-08	No	5-205.11.(A)	Hand wash facility not accessible.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				3-305.11	Food not protected from contamination during storage.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N