

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DUNKIN DONUTS	REGULAR	2018-11-08	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-903.12.(A)	Single-Service and single-Use Articles being stored in prohibited area listed in code.	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
DUNKIN DONUTS	REGULAR	2019-01-03	No	2-102.12	No Certified Food Protection Manager.	N
				6-501.111.(D)	Pests found on premises due to not eliminating harborage conditions.	C
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.11	The physical facilities are in disrepair.	N
DUNKIN DONUTS	REGULAR	2023-02-01	No	3-501.13	Improper thawing.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N