

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DUNKIN DONUTS	REGULAR	2018-07-02	No	4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.12	The physical facilities are not clean.	N
DUNKIN DONUTS	REGULAR	2019-07-03	No	4-204.112.(A)	Temperature measuring device not properly located.	N
DUNKIN DONUTS	REGULAR	2021-07-29	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
DUNKIN DONUTS	REGULAR	2022-07-18	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				6-501.14.(A)	Ventilation not clean.	N
DUNKIN DONUTS	REGULAR	2023-08-03	No	4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N