

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BEST WESTERN CIVIC CENTER INN	REGULAR	2018-03-21	No	3-305.11	Food not protected from contamination during storage.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.16	Mops are not being properly stored.	N
BEST WESTERN CIVIC CENTER INN	REGULAR	2018-03-21	No	2-A.(10)	Furniture, fixtures, carpets and other accessories are not maintained and/or are not clean.	N
BEST WESTERN CIVIC CENTER INN	REGULAR	2021-05-25	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-302.14	No chemical test kit available.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
BEST WESTERN CIVIC CENTER INN	REGULAR	2021-05-25	No	2-B.(2)	The furniture, fixtures, draperies, and other accessories in common areas associated with sleeping rooms are not clean and/or not properly maintained.	N
				2-A.(14)	Appliances are not properly cleaned and/or not properly maintained.	N
				2-C.(7)	Toilet facilities, including the toilet room and fixtures, are not properly maintained, clean, adequately vented, and/or free of objectionable odors.	N
BEST WESTERN CIVIC CENTER INN	REGULAR	2024-01-18	No	5-A.(1)	Ice is not made from potable water and/or is not located, installed, operated and maintained so as to prevent contamination of the ice.	N
				2-A.(8)	Torn and/or soiled bedding, mattresses, sheets or pillowcases are being used.	N
				2-C.(1)	Floors, walls, ceilings, and all fixtures in toilet and bath rooms are not smooth, durable and easily cleanable.	N