

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
WENDYS OLD FASHIONED HAMBURGERS	REGULAR	2018-03-14	No	3-501.17.(C)	Refrigerated, Ready-to-Eat PHF ingredient or portion thereof that is combined with additional ingredients or portions of food has not retained a date marking of the earliest prepared or first-prepared ingredient.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
WENDYS OLD FASHIONED HAMBURGERS	REGULAR	2020-09-09	No	4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.11	Lights not shielded.	N
WENDYS RESTAURANT	REGULAR	2022-11-10	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-501.11	Equipment in disrepair.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
WENDYS RESTAURANT	REGULAR	2023-03-08	No	6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				3-305.11	Food not protected from contamination during storage.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-301.14	Ventilation hood systems not adequate.	N