

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|-------------------------|------------|------------|-------|----------------------|---|----------|
| BELGRADE CENTRAL SCHOOL | REGULAR | 2018-05-09 | No | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 4-903.11.(A). (C) | Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used. | N |
| | | | | 4-201.11 | Equipment and/or utensils are not sufficiently durable. | N |
| BELGRADE CENTRAL SCHOOL | REGULAR | 2019-02-25 | No | 5-103.11.(B) | Insufficient hot water supply. | C |
| BELGRADE CENTRAL SCHOOL | REGULAR | 2019-08-28 | No | 5-103.11.(A) | Insufficient water supply. | C |
| BELGRADE CENTRAL SCHOOL | REGULAR | 2023-05-19 | No | 4-302.13 | No thermometer for testing sanitizing water temperature. | N |
| BELGRADE CENTRAL SCHOOL | REGULAR | 2024-03-22 | No | 2-102.12 | No Certified Food Protection Manager. | N |
| | | | | 4-204.115 | Ware washing machine not properly equipped with temperature measuring devices. | N |