

| Establishment Name      | Insp. Type | Insp. Date | Fail? | Rule Cited           | Description of Violation  | Severity |
|-------------------------|------------|------------|-------|----------------------|---|----------|
| BELGRADE CENTRAL SCHOOL | REGULAR    | 2018-05-09 | No    | 3-305.11             | Food not protected from contamination during storage.   | N        |
|                         |            |            |       | 4-903.11.(A).<br>(C) | Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used. | N        |
|                         |            |            |       | 4-201.11             | Equipment and/or utensils are not sufficiently durable.   | N        |
| BELGRADE CENTRAL SCHOOL | REGULAR    | 2019-02-25 | No    | 5-103.11.(B)         | Insufficient hot water supply.  | C        |
| BELGRADE CENTRAL SCHOOL | REGULAR    | 2019-08-28 | No    | 5-103.11.(A)         | Insufficient water supply.  | C        |
| BELGRADE CENTRAL SCHOOL | REGULAR    | 2023-05-19 | No    | 4-302.13             | No thermometer for testing sanitizing water temperature.  | N        |
| BELGRADE CENTRAL SCHOOL | REGULAR    | 2024-03-22 | No    | 2-102.12             | No Certified Food Protection Manager.   | N        |
|                         |            |            |       | 4-204.115            | Ware washing machine not properly equipped with temperature measuring devices.  | N        |