

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|------------------|--|----------|
| DUNKIN DONUTS | REGULAR | 2019-12-23 | No | 4-903.12.(A) | Cleaned and Sanitized Equipment, Utensils, and laundered Linens being stored in prohibited area listed in code. | N |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |
| | | | | 6-501.114 | The premises is littered / unnecessary equipment and articles present. | N |
| DUNKIN DONUTS | REGULAR | 2022-02-01 | No | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 6-202.15 | Outer openings are not protected from the entry of insects or rodents. | N |
| | | | | 3-307.11 | Food not protected from other sources of contamination. | N |
| | | | | 6-501.16 | Mops are not being properly stored. | N |
| DUNKIN DONUTS | REGULAR | 2024-01-22 | No | 5-205.11.(B) | Hand washing facility being used for other than hand washing. | N |
| | | | | 4-602.11.(E) | Non-potentially hazardous food contact surfaces are not cleaned with proper frequency. | N |
| | | | | 3-304.14.(B).(1) | Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer. | N |
| | | | | 3-304.12 | Improper between-use storage of in-use utensils. | N |
| | | | | 6-202.11 | Lights not shielded. | N |