

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
PILGRIM LODGE	REGULAR	2018-07-31	No	7.B.5.d	C: All watercraft with an electric starting gasoline motor are not equipped with a B-1 hand portable fire extinguisher.	C
				5.A.3	C: Residential Youth Camp infirmary building not screened and protected from flies and other insects does not have a bathroom facility is not readily available. No hot and cold running water. Hot water temperature exceeds 120 F.	C
				8.A.4	C: Portable containers for gasoline and explosives are not marked, locked and stored properly and/or non-portable containers of flammable liquids and poisonous substances are not marked, locked or stored properly.	C
				4.A.14	N: The use of duckboards in showers is prohibited.	N
PILGRIM LODGE	REGULAR	2019-07-09	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				7-202.12.(A). (B)	Poisonous or toxic materials are being improperly used / applied.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.16	Mops are not being properly stored.	N
PILGRIM LODGE	REGULAR	2023-07-24	No		No Violations	
PILGRIM LODGE	REGULAR	2023-07-24	No		No Violations	