

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MERCY HOSPITAL	REGULAR	2018-07-26	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-302.15.(A)	Fruits/vegetables not washed.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
MERCY HOSPITAL	REGULAR	2019-07-01	No	3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.19	Toilet room door is not closed.	N
MERCY HOSPITAL	REGULAR	2021-09-02	No		No Violations	
MERCY HOSPITAL	REGULAR	2022-10-14	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
MERCY HOSPITAL	REGULAR	2023-10-19	No	4-204.112.(A)	Temperature measuring device not properly located.	N