

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DUNKIN DONUTS	REGULAR	2018-10-16	No	4-204.112.(A)	Temperature measuring device not properly located.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-501.12	The physical facilities are not clean.	N
DUNKIN DONUTS	REGULAR	2019-10-08	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-502.13.(B)	The bulk milk container dispensing tube was improperly cut.	N
				6-501.12	The physical facilities are not clean.	N
DUNKIN DONUTS	REGULAR	2021-06-21	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
DUNKIN DONUTS	REGULAR	2022-09-30	No	4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
DUNKIN DONUTS	REGULAR	2023-09-27	No	7-201.11	Improper storage of poisonous or toxic materials.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N