

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
READFIELD ELEMENTARY SCHOOL	REGULAR	2018-03-12	No	4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
READFIELD ELEMENTARY SCHOOL	REGULAR	2019-03-05	No	4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
READFIELD ELEMENTARY SCHOOL	REGULAR	2020-03-11	No	7-202.11	There are Poisonous or toxic materials that are not required for the operation and maintenance of a food establishment present.	C
				4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
READFIELD ELEMENTARY SCHOOL	REGULAR	2021-11-15	No	4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
READFIELD ELEMENTARY SCHOOL	REGULAR	2023-01-11	No	4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
READFIELD ELEMENTARY SCHOOL	REGULAR	2024-01-23	No	4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N