

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|------------------|---|----------|
| ALBERT S HALL | REGULAR | 2018-05-15 | No | 4-903.11.(A) | Equipment, Utensils, Linens are improperly stored. | N |
| | | | | 6-501.114 | The premises is littered / unnecessary equipment and articles present. | N |
| ALBERT S HALL | REGULAR | 2019-01-25 | No | 3-501.16.(A).(1) | Hot foods not maintained at a proper temperature of 135 F or more. | C |
| ALBERT S HALL | REGULAR | 2020-02-26 | No | 4-501.112 | Unacceptable hot water sanitization temperature(s) for mechanical ware washing. | N |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| ALBERT S HALL | REGULAR | 2023-04-13 | No | 4-501.11 | Equipment in disrepair. | N |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |
| ALBERT S HALL | REGULAR | 2024-01-16 | No | 4-501.11 | Equipment in disrepair. | N |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |