

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BINGAS STADIUM SMOKEHOUSE & SPORTS BAR	REGULAR	2018-07-20	Yes	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.18.(A)	PHF, Ready-to-Eat food not discarded when food exceeds temperature and time combination as specified in 3-501.17.(A).	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				4-501.12	Cutting surfaces not easily cleanable.	N
				4-501.11	Equipment in disrepair.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
BINGAS STADIUM SMOKEHOUSE & SPORTS BAR	FOLLOW_UP_FULL	2018-08-17	No	6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
BINGAS STADIUM SMOKEHOUSE & SPORTS BAR	REGULAR	2018-12-28	No	3-302.11.(A).(2)	Different types of Raw animal foods are not stored in a way to prevent cross contamination with each other during storage, preparation, holding, or display.	C
				4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				3-501.18.(A)	PHF, Ready-to-Eat food not discarded when food exceeds temperature and time combination as specified in 3-501.17.(A).	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
BINGAS STADIUM SMOKEHOUSE & SPORTS BAR	REGULAR	2019-05-02	No	4-204.112.(A)	Temperature measuring device not properly located.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-204.115	Ware washing machine not properly equipped with temperature measuring devices.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
BINGAS STADIUM SMOKEHOUSE & SPORTS BAR	REGULAR	2019-09-06	No	5-205.11.(A)	Hand wash facility not accessible.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-201.11	Equipment and/or utensils are not sufficiently durable.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.12	The physical facilities are not clean.	N
FREE STREET	NEWOWNER	2021-11-22	No		No Violations	
FREE STREET	REGULAR	2022-03-03	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-305.12	Food being stored in prohibited area(s).	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				6-501.12	The physical facilities are not clean.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
FREE STREET	REGULAR	2023-11-29	No	3-202.15	Food packages are not in good condition and do not protect the integrity of the contents.	C
				3-501.18.(A)	PHF, Ready-to-Eat food not discarded when food exceeds temperature and time combination as specified in 3-501.17.(A).	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-501.12	The physical facilities are not clean.	N