

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DAILY GREENS	REGULAR	2018-04-02	No	3-403.11.(A)	PHF not properly reheated to 165 F for 15 seconds for hot holding.	C
DAILY GREENS	REGULAR	2018-10-04	No	4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
DAILY GREENS	REGULAR	2019-05-01	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
DAILY GREENS	REGULAR	2019-11-18	No	5-205.11.(A)	Hand wash facility not accessible.	N
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
DAILY GREENS	REGULAR	2021-08-03	No		No Violations	
DAILY GREENS	REGULAR	2022-12-01	No	3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				5-205.11.(A)	Hand wash facility not accessible.	N