

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
MCDONALDS RESTAURANT	REGULAR	2018-03-15	No	4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
MCDONALDS	REGULAR	2020-09-15	No	3-305.11	Food not protected from contamination during storage.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				5-501.116	Receptacles are not properly cleaned.	N
				6-501.12	The physical facilities are not clean.	N
MCDONALDS	REGULAR	2023-11-30	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-203.12.(B)	Ambient air and water temperature measuring device is not accurate. (Scaled to Fahrenheit )	N
				3-307.11	Food not protected from other sources of contamination.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N