

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|-----------------------|---|----------|
| TEMPLE ACADEMY | REGULAR | 2018-05-11 | No | 2-103.11.(J) | Person in Charge did not ensure that employees are properly sanitizing. | N |
| | | | | 2-401.11 | Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result. | C |
| | | | | 6-202.15 | Outer openings are not protected from the entry of insects or rodents. | N |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 4-903.11.(B) | Clean equipment and utensils not stored by being covered/ inverted/ or self draining. | N |
| | | | | 4-501.116 | Chemical sanitizer concentration was not accurately determined by using a test kit or other device. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| TEMPLE ACADEMY | REGULAR | 2018-12-11 | No | 4-302.12.(A) | Inadequate number of food temperature measuring devices provided. | N |
| TEMPLE ACADEMY | REGULAR | 2019-11-22 | No | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| TEMPLE ACADEMY | REGULAR | 2023-03-27 | No | 4-204.112.(B). (C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device. | N |
| | | | | 4-501.11 | Equipment in disrepair. | N |
| TEMPLE ACADEMY | REGULAR | 2024-02-27 | No | 4-904.11.(A). (C) | Single service/use items are improperly handled/stored/displayed/dispensed. | N |