

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BUFFALO WILD WINGS	REGULAR	2018-09-13	Yes	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-501.14	Ware washing equipment not cleaned before use, at a frequency necessary to prevent recontamination, or every 24 hours.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-205.15	Plumbing system not properly maintained in good repair.	C
				5-202.13	Air gap required.	C
				6-501.11	The physical facilities are in disrepair.	N
BUFFALO WILD WINGS	REGULAR	2020-02-03	Yes	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-501.14	Ware washing equipment not cleaned before use, at a frequency necessary to prevent recontamination, or every 24 hours.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.11	The physical facilities are in disrepair.	N
BUFFALO WILD WINGS	REGULAR	2023-08-15	No	4-203.12.(A)	Ambient air and/or water temperature measuring device not accurate. (Scaled Celsius and Fahrenheit)	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N