

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BATSON RIVER BREWING & DISTILLING	REGULAR	2019-12-12	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-202.15	Food packages are not in good condition and do not protect the integrity of the contents.	C
				3-603.11.(C)	Consumer advisory does not contain the required wording.	C
BATSON RIVER BREWING & DISTILLING	REGULAR	2022-12-01	No	5-205.11.(A)	Hand wash facility not accessible.	N
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-204.13.(A). (B).(C).(D)	Dispensing equipment is improperly designed and constructed.	N
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N