

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
THE GELATO FIASCO	REGULAR	2018-04-25	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
THE GELATO FIASCO	REGULAR	2019-06-17	No		No Violations	
GELATO FIASCO	REGULAR	2021-12-16	No		No Violations	
GELATO FIASCO	REGULAR	2023-02-21	No	4-203.12.(A)	Ambient air and/or water temperature measuring device not accurate. (Scaled Celsius and Fahrenheit)	N
				6-202.11	Lights not shielded.	N
GELATO FIASCO	REGULAR	2024-02-21	No	2-103.11.(N)	Person in Charge did not ensure employees were informed of their responsibility to report to the Person in Charge about their health.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N