

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SHIPYARD PUB & CAFE @ PWM	REGULAR	2018-10-12	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				6-501.111.(B)	Not routinely inspecting premises for evidence of pests.	C
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
SHIPYARD PUB & CAFE @ PWM	REGULAR	2019-05-01	No	6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
SHIPYARD PUB & CAFE @ PWM	REGULAR	2022-07-21	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
SHIPYARD PUB & CAFE @ PWM	REGULAR	2023-07-27	No	5-205.11.(A)	Hand wash facility not accessible.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
				5-103.11.(B)	Insufficient hot water supply.	C
				6-501.12	The physical facilities are not clean.	N
				6-501.16	Mops are not being properly stored.	N