

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|------------|---|----------|
| AHI HOTEL | REGULAR | 2018-03-27 | No | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| AHI HOTEL | REGULAR | 2018-03-27 | No | | No Violations | |
| AHI HOTEL | REGULAR | 2020-09-25 | No | 9-A.(2) | Clean linens and supplies are not properly stored in cabinets constructed to facilitate cleaning, on shelves at least 6 inches off the floor and/or in storage rooms that are kept clean. | N |
| | | | | 9-A.(8) | Lights are not shielded in the laundry areas and the linen storage facilities. | N |
| | | | | 9-A.(7) | Toxic materials are not properly labeled and stored. | C |
| | | | | 2-B.(1) | The floors, walls, ceilings, windows and ventilation in common areas associated with sleeping rooms are not clean and/or not properly maintained. | N |
| | | | | 2-A.(7) | Sheets and pillowcases are not clean. | C |
| AHI HOTEL | REGULAR | 2024-01-29 | No | 5-A.(1) | Ice is not made from potable water and/or is not located, installed, operated and maintained so as to prevent contamination of the ice. | N |
| | | | | 9-A.(8) | Lights are not shielded in the laundry areas and the linen storage facilities. | N |
| | | | | 2-A.(7) | Sheets and pillowcases are not clean. | C |
| | | | | 2-E.(2) | In the guest toilet/bath facilities the fixtures are not cleaned and/or not disinfected after each check-out. | N |