

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
HOLY TRINITY GREEK ORTHODOX CHURCH	REGULAR	2018-06-21	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				5-203.11	Inadequate number of hand wash facilities.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
HOLY TRINITY GREEK ORTHODOX CHURCH	REGULAR	2019-06-27	No	3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-305.11	Food not protected from contamination during storage.	N
HOLY TRINITY GREEK ORTHODOX CHURCH	REGULAR	2021-12-01	No	7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
HOLY TRINITY GREEK ORTHODOX CHURCH	REGULAR	2023-02-01	No		No Violations	