

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|-------------------------|------------|------------|-------|------------------|---|----------|
| LAKE REGION HIGH SCHOOL | REGULAR | 2018-01-08 | No | | No Violations | |
| LAKE REGION HIGH SCHOOL | REGULAR | 2018-12-07 | No | 4-501.12 | Cutting surfaces not easily cleanable. | N |
| LAKE REGION HIGH SCHOOL | REGULAR | 2019-11-06 | No | 2-402.11 | Food Employees not wearing effective hair restraints. | N |
| | | | | 4-901.11.(A) | Equipment and utensils not being dried properly. | N |
| | | | | 4-501.12 | Cutting surfaces not easily cleanable. | N |
| LAKE REGION HIGH SCHOOL | REGULAR | 2021-05-06 | No | | No Violations | |
| LAKE REGION HIGH SCHOOL | REGULAR | 2022-02-18 | No | 4-703.11 | Manual and/or mechanical methods of sanitizing incomplete. | C |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 4-501.11 | Equipment in disrepair. | N |
| LAKE REGION HIGH SCHOOL | REGULAR | 2023-02-01 | No | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 3-304.12 | Improper between-use storage of in-use utensils. | N |
| LAKE REGION HIGH SCHOOL | REGULAR | 2024-01-04 | No | 5-202.12 | Hand washing facility not properly equipped/installed with hot water of at least 100 F. | N |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 6-501.19 | Toilet room door is not closed. | N |
| | | | | 6-501.16 | Mops are not being properly stored. | N |