

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
RESIDENCE INN BY MARRIOTT (POOL)	REGULAR	2019-01-22	No	3.A.3	Routine operating procedures not posted and/or available for viewing by the Department.	C
				3.G.1	Sanitizer residual and pH not recorded three times a day, one manual test not conducted, proper records of maintenance and chemicals added not maintained and/or recorded once per day, total alkalinity, calcium hardness, and cyanuric acid (if used) not being tested for and recorded once per week, water chemistry records not retained for 1 year and/or the water chemistry records not available.	C
				6.D.5	First aid kit, including barrier protection (gloves and rescue breathing), not available at all times.	C
RESIDENCE INN BY MARRIOTT (POOL)	REGULAR	2023-03-23	No	5.B.2	Flow meter not installed and/or is not accurate.	N
				3.A.3	Routine operating procedures not posted and/or available for viewing by the Department.	C
				6.D.3	Ring buoy with throwing rope attached not provided, ring buoy is not US Coast Guard-approved with an outside diameter of 15 inches or greater, throwing rope for the ring buoy not of a minimum 1/4 inch diameter and/or throwing rope of ring buoy is not long enough (1.5 x width of pool) or 50 feet, whichever is less.	C
				6.D.4	Location of the nearest telephone not posted with dialing instructions in the immediate vicinity of the public pool or spa and/or the telephone does not have posted names and numbers of the nearest available police, fire, ambulance service and/or rescue unit.	C