

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|----------------------|---|----------|
| VILLAGE TAVERN LLC | REGULAR | 2019-03-20 | No | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 4-204.112.(B).(C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device. | N |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 3-304.14.(A) | Wiping cloths being used for wiping spills from containers of food being is not maintained dry or is being used for other purposes. | N |
| | | | | 6-202.14 | Toilet room not enclosed, with a self closing, tight fitting door. | N |
| VILLAGE TAVERN LLC | REGULAR | 2022-12-22 | No | 3-301.11.(A).(B).(D) | Food employees are handling ready to eat foods with bare hands. | C |
| | | | | 4-602.11.(E) | Non-potentially hazardous food contact surfaces are not cleaned with proper frequency. | N |
| | | | | 4-204.112.(A) | Temperature measuring device not properly located. | N |
| | | | | 5-304.12 | No backflow prevention for pump and hoses. | N |
| | | | | 6-202.14 | Toilet room not enclosed, with a self closing, tight fitting door. | N |