

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
STARBUCKS COFFEE #19384	REGULAR	2018-11-14	No	4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
STARBUCKS COFFEE #19384	REGULAR	2019-11-15	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
STARBUCKS COFFEE #19384	REGULAR	2021-09-29	No	4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-501.11	Equipment in disrepair.	N
STARBUCKS COFFEE #19384	REGULAR	2022-10-06	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
STARBUCKS COFFEE #19384	REGULAR	2024-01-30	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N