

| Establishment Name       | Insp. Type | Insp. Date | Fail? | Rule Cited           | Description of Violation  | Severity |
|--------------------------|------------|------------|-------|----------------------|---|----------|
| ECLIPSE                  | REGULAR    | 2019-03-21 | No    | 5-203.11             | Inadequate number of hand wash facilities.  | C        |
|                          |            |            |       | 4-903.11.(A).<br>(C) | Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used. | N        |
|                          |            |            |       | 4-602.13             | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.   | N        |
|                          |            |            |       | 6-501.12             | The physical facilities are not clean.  | N        |
|                          |            |            |       | 6-202.11             | Lights not shielded.  | N        |
| THE GREY OWL BAR & GRILL | NEWOWNER   | 2020-10-15 | No    | 6-301.14             | Hand wash signage not provided for employee hand sink or lavatory.  | N        |
|                          |            |            |       | 5-205.15             | Plumbing system not properly maintained in good repair.   | C        |
|                          |            |            |       | 6-501.11             | The physical facilities are in disrepair.   | N        |
|                          |            |            |       | 6-202.11             | Lights not shielded.  | N        |
|                          |            |            |       | 6-501.14.(A)         | Ventilation not clean.  | N        |