

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
GOOD NEWS COFFEE AND PACKAGE	REGULAR	2018-12-12	No	4-204.112.(B).(C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
THE CIDER HOUSE	REGULAR	2019-08-20	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
SMALLS	REGULAR	2021-11-24	No		No Violations	
SMALLS	REGULAR	2022-02-28	No	3-203.12	Shell stock identification not properly maintained.	C
				3-603.11.(A)	There is no consumer advisory.	C
				4-603.14	Equipment food contact surfaces and utensils are not being effectively washed.	N
				5-103.11.(B)	Insufficient hot water supply.	C
SMALLS	REGULAR	2023-01-11	No	4-204.112.(A)	Temperature measuring device not properly located.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
SMALLS	REGULAR	2024-01-04	No	3-302.11.(A).(1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N