

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|------------------------------|------------|------------|-------|----------------------|--|----------|
| GOOD NEWS COFFEE AND PACKAGE | REGULAR | 2018-12-12 | No | 4-204.112.(B).(C) | Cold or hot holding not equipped with integral or permanently fixed temperature measuring device. | N |
| THE CIDER HOUSE | REGULAR | 2019-08-20 | No | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| SMALLS | REGULAR | 2021-11-24 | No | | No Violations | |
| SMALLS | REGULAR | 2022-02-28 | No | 3-203.12 | Shell stock identification not properly maintained. | C |
| | | | | 3-603.11.(A) | There is no consumer advisory. | C |
| | | | | 4-603.14 | Equipment food contact surfaces and utensils are not being effectively washed. | N |
| | | | | 5-103.11.(B) | Insufficient hot water supply. | C |
| SMALLS | REGULAR | 2023-01-11 | No | 4-204.112.(A) | Temperature measuring device not properly located. | N |
| | | | | 4-302.12.(A) | Inadequate number of food temperature measuring devices provided. | N |
| | | | | 4-501.116 | Chemical sanitizer concentration was not accurately determined by using a test kit or other device. | N |
| | | | | 6-202.14 | Toilet room not enclosed, with a self closing, tight fitting door. | N |
| SMALLS | REGULAR | 2024-01-04 | No | 3-302.11.(A).(1).(A) | Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display. | N |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 6-202.14 | Toilet room not enclosed, with a self closing, tight fitting door. | N |