

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
WENDYS RESTAURANT	NEWOWNER	2021-02-10	No	4-501.114.(C).(2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
WENDYS RESTAURANT	REGULAR	2023-10-25	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				4-904.11.(A).(C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.18	Plumbing Fixtures such as hand washing sinks, toilets, and urinals not cleaned as often as necessary to keep them clean.	N
				5-501.116	Receptacles are not properly cleaned.	N
				5-501.113.(B)	Receptacles used outside that contain food residue not kept covered with tight-fitting lids or doors.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N