

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CAMP BERE A	REGULAR	2018-07-12	No	6.A.3.b	C: Proper prior hiring selection and screening not done on employees and volunteers.	C
CAMP BERE A	REGULAR	2023-07-11	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
CAMP BERE A	REGULAR	2023-07-11	No	7.B.3.g	N: Swimming rules are not posted on the waterfront.	N
				5.A.5	C: Residential Youth Camp infirmary building not screened and protected from flies and other insects; beds not provided with clean sheets and pillowcases and not changed whenever soiled or patient is discharged.	C
				5.B.1	C: No standing orders that include provision for emergency first aid and medical care. Standing orders are not reviewed, signed and dated annually.	C
				3.C.7	N: Mattresses and covers are not kept clean and in good repair.	N
				3.B.4	N: Floors are not smooth, clean and free from chronic dampness.	N
				3.B.1	N: The operator permits the use of any building or shelter that is not safe, clean and has no roof.	N
				4.B.2	N: Copies of the water analysis are not posted with the Department license.	N
				1.B	C: No current license to operate per 10-144 CMR 201.	C
CAMP BERE A	FOLLOW_UP_FULL	2023-07-25	No	3.C.7	N: Mattresses and covers are not kept clean and in good repair.	N